

Author Index

- Agarwal, N., see Jomary, C. (29) 172
 Ahir, A., see Jomary, C. (29) 172
 Angulo, J.A., Williams, A., Ledoux, M., Watanabe, Y. and McEwen, B.S.
 Elevation of striatal and accumbal preproenkephalin, preprotachykinin and preprodynorphin mRNA abundance subsequent to *N*-methyl-D-aspartate receptor blockade with MK-801 (29) 15
 Antonelli, M.C., see Eakin, T.J. (29) 71
 Azmitia, E.C., see Ueda, S. (29) 365
 Baas, F., see Piosik, P.A. (29) 119
 Baskin, D.G., see Eakin, T.J. (29) 71
 Bassett, N.S., see Beilharz, E.J. (29) 81
 Beckwith, J.P., see Eastwood, S.L. (29) 211
 Beilharz, E.J., Bassett, N.S., Sirimanne, E.S., Williams, C.E. and Gluckman, P.D.
 Insulin-like growth factor II is induced during wound repair following hypoxic-ischemic injury in the developing rat brain (29) 81
 Beilharz, E.J., Williams, C.E., Dragunow, M., Sirimanne, E.S. and Gluckman, P.D.
 Mechanisms of delayed cell death following hypoxic-ischemic injury in the immature rat: evidence for apoptosis during selective neuronal loss (29) 1
 Belin, M.-F., see Besançon, R. (29) 253
 Bell III, J., see Ueda, S. (29) 365
 Besançon, R., Chouaf, L., Jouvett, A., Sliwinski, S., Belin, M.-F. and Fèvre-Montange, M.
 Developmental expression of tryptophan hydroxylase mRNAs in the rat pineal gland: an in situ hybridization study (29) 253
 Björklund, A., see Campbell, K. (29) 273
 Bolhuis, P.A., see Piosik, P.A. (29) 119
 Brewster, W.J., Fernyhough, P., Diemel, L.T., Mohiuddin, L. and Tomlinson, D.R.
 Changes in nerve growth factor and preprotachykinin messenger RNA levels in the iris and trigeminal ganglion in diabetic rats; effects of treatment with insulin or nerve growth factor (29) 131
 Broad, K.D., Keverne, E.B. and Kendrick, K.M.
 Corticotrophin releasing factor mRNA expression in the sheep brain during pregnancy, parturition and lactation and following exogenous progesterone and oestrogen treatment (29) 310
 Burnet, P.W.J., see Eastwood, S.L. (29) 211
 Buttiglione, M., Cangiano, G., Goridis, C. and Gennarini, G.
 Characterization of the 5' and promoter regions of the gene encoding the mouse neuronal cell adhesion molecule F3 (29) 297
 Campbell, K. and Björklund, A.
 Neurotransmitter-related gene expression in intrastriatal striatal transplants. III. Regulation by host cortical and dopaminergic afferents (29) 273
 Cangiano, G., see Buttiglione, M. (29) 297
 Caput, D., see Rodriguez, M. (29) 369
 Carillon, C., see Rodriguez, M. (29) 369
 Cerezo, J.R., Jiménez, F. and Moya, F.
 Characterization and gene cloning of *Drosophila* syntaxin 1 (Dsynt1): the fruit fly homologue of rat syntaxin 1 (29) 245
 Chan, S.-O. and Chiu, F.-C.
 Cloning and developmental expression of human 66 kd neurofilament protein (29) 177
 Chang, S., see Mack, K.J. (29) 140
 Charness, M.E., see Shiromani, P.J. (29) 163
 Chiaramello, A., Soosaar, A., Neuman, T. and Zuber, M.X.
 Differential expression and distinct DNA-binding specificity of ME1a and ME2 suggest a unique role during differentiation and neuronal plasticity (29) 107
 Chiasson, B.J., Dennison, Z. and Robertson, H.A.
 Amygdala kindling and immediate-early genes (29) 191
 Chiu, F.-C., see Chan, S.-O. (29) 177
 Chouaf, L., see Besançon, R. (29) 253
 Ciaranello, R.D., see Zhong, P. (29) 23
 Claude, P.A., see Prather, P.L. (29) 336
 Coquerel, A., see Rodriguez, M. (29) 369
 Craviso, G.L., Hemelt, V.B. and Waymire, J.C.
 The transient nicotinic stimulation of tyrosine hydroxylase gene transcription in bovine adrenal chromaffin cells is independent of *c-fos* gene activation (29) 233
 Da Costa, A.C., see Vellucci, S.V. (29) 64
 Daunais, J.B. and McGinty, J.F.
 Cocaine binges differentially alter striatal preprodynorphin and *zif/268* mRNAs (29) 201
 Dennison, Z., see Chiasson, B.J. (29) 191
 Diemel, L.T., see Brewster, W.J. (29) 131
 Dragunow, M., see Beilharz, E.J. (29) 1
 Eakin, T.J., Antonelli, M.C., Malchiodi, E.L., Baskin, D.G. and Stahl, W.L.
 Localization of the plasma membrane Ca^{2+} -ATPase isoform PMCA3 in rat cerebellum, choroid plexus and hippocampus (29) 71
 Eastwood, S.L., McDonald, B., Burnet, P.W.J., Beckwith, J.P., Kerwin, R.W. and Harrison, P.J.
 Decreased expression of mRNAs encoding non-NMDA glutamate receptors GluR1 and GluR2 in medial temporal lobe neurons in schizophrenia (29) 211
 Emson, P.C., see Señaris, R.M. (29) 185
 Erdmann, J., see Shimron-Abarbanell, D. (29) 387
 Fernyhough, P., see Brewster, W.J. (29) 131
 Ferrara, P., see Rodriguez, M. (29) 369
 Fèvre-Montange, M., see Besançon, R. (29) 253
 Follesa, P. and Ticku, M.K.
 Chronic ethanol treatment differentially regulates NMDA receptor subunit mRNA expression in rat brain (29) 99
 García-Segura, L.M., see Lafarga, M. (29) 317
 Geffard, M., see Okamura, H. (29) 358
 Gennarini, G., see Buttiglione, M. (29) 297
 Gluckman, P.D., see Beilharz, E.J. (29) 1
 Gluckman, P.D., see Beilharz, E.J. (29) 81
 Goridis, C., see Buttiglione, M. (29) 297
 Griffin, S.A., see Scott, A.W. (29) 347
 Guminski, B.J.M., see Sorg, B.A. (29) 381
 Hamada, Y., see Higuchi, M. (29) 263
 Harrison, P.J., see Eastwood, S.L. (29) 211
 Hayakawa, T., see Higuchi, M. (29) 263
 Hemelt, V.B., see Craviso, G.L. (29) 233
 Herman, J.P., see Numan, S. (29) 391
 Hidaka, K., see Matsumoto, M. (29) 157
 Higuchi, M., Kiyama, H., Hayakawa, T., Hamada, Y. and Tsujimoto, Y.
 Differential expression of Notch1 and Notch2 in developing and adult mouse brain (29) 263
 Hooks, M.S., see Sorg, B.A. (29) 381
 Houtani, T., see Tsukahara, Y. (29) 376
 Humphrey, P.P.A., see Señaris, R.M. (29) 185

- Ibata, Y., see Okamura, H. (29) 358
 Ihara, Y., see Oyama, F. (29) 92
 Ikeda, M., see Tsukahara, Y. (29) 376
 Inouye, S.-I.T., see Okamura, H. (29) 358
- Jacobs, A.J., Kamholz, J. and Selzer, M.E.
 The single lamprey neurofilament subunit (NF-180) lacks multiphosphorylation repeats and is expressed selectively in projection neurons (29) 43
 Jiménez, F., see Cerezo, J.R. (29) 245
 Jomary, C., Ahir, A., Agarwal, N., Neal, M.J. and Jones, S.E.
 Spatio-temporal pattern of ocular clusterin mRNA expression in the *rd* mouse (29) 172
 Jones, S.E., see Jomary, C. (29) 172
 Jouvét, A., see Besançon, R. (29) 253
- Kalivas, P.W., see Sorg, B.A. (29) 381
 Kamholz, J., see Jacobs, A.J. (29) 43
 Kamphuis, W. and Lopes da Silva, F.H.
 Editing status at the Q/R site of glutamate receptor-A, -B, -5 and -6 subunit mRNA in the hippocampal kindling model of epilepsy (29) 35
 Kawakami, F., see Okamura, H. (29) 358
 Kendrick, K.M., see Broad, K.D. (29) 310
 Kendrick, K.M., see Vellucci, S.V. (29) 64
 Kerwin, R.W., see Eastwood, S.L. (29) 211
 Keverne, E.B., see Broad, K.D. (29) 310
 Kiryu, S., Morita, N., Ohno, K., Maeno, H. and Kiyama, H.
 Regulation of mRNA expression involved in Ras and PKA signal pathways during rat hypoglossal nerve regeneration (29) 147
 Kiyama, H., see Higuchi, M. (29) 263
 Kiyama, H., see Kiryu, S. (29) 147
 Koistinaho, J. and Sagar, S.M.
 Light-induced *c-fos* expression in amacrine cells in the rabbit retina (29) 53
 Kokotos Leonardi, E.T., see Ueda, S. (29) 365
- Lafarga, M., García-Segura, L.M., Rodríguez, J.R. and Suau, P.
 Expression of histone H1^o in transcriptionally activated supraoptic neurons (29) 317
 Law, P.Y., see Prather, P.L. (29) 336
 Ledoux, M., see Angulo, J.A. (29) 15
 Le Fur, G., see Rodríguez, M. (29) 369
 Liu-Chen, L.Y., see Prather, P.L. (29) 336
 Loh, H.H., see Prather, P.L. (29) 336
 Lopes da Silva, F.H., see Kamphuis, W. (29) 35
 Luedtke, R.R., see Scott, A.W. (29) 347
 Lundgren, K.H., see Numan, S. (29) 391
 Luque, J.M., Malherbe, P. and Richards, J.G.
 Localization of NMDA receptor subunit mRNAs in the rat locus coeruleus (29) 224
- Mack, K.J., Yi, S.-D., Chang, S., Millan, N. and Mack, P.
 NGFI-C expression is affected by physiological stimulation and seizures in the somatosensory cortex (29) 140
 Mack, P., see Mack, K.J. (29) 140
 Maeno, H., see Kiryu, S. (29) 147
 Magner, M., see Shiromani, P.J. (29) 163
 Malchiodi, E.L., see Eakin, T.J. (29) 71
 Malherbe, P., see Luque, J.M. (29) 224
 Matsumoto, K., see Mori, T. (29) 325
 Matsumoto, M., Hidaka, K., Tada, S., Tasaki, Y. and Yamaguchi, T.
 Full-length cDNA cloning and distribution of human dopamine D4 receptor (29) 157
 McDonald, B., see Eastwood, S.L. (29) 211
 McEwen, B.S., see Angulo, J.A. (29) 15
 McGinn, T.M., see Prather, P.L. (29) 336
 McGinty, J.F., see Daunais, J.B. (29) 201
 Millan, N., see Mack, K.J. (29) 140
 Mohiuddin, L., see Brewster, W.J. (29) 131
 Moody, C.A., see Sherman, T.G. (29) 285
 Mori, T., Wanaka, A., Taguchi, A., Matsumoto, K. and Tohyama, M.
 Differential expressions of the *eph* family of receptor tyrosine kinase genes (*sek*, *elk*, *eck*) in the developing nervous system of the mouse (29) 325
 Morita, N., see Kiryu, S. (29) 147
 Moya, F., see Cerezo, J.R. (29) 245
- Nakanishi, S., see Tsukahara, Y. (29) 376
 Neal, M.J., see Jomary, C. (29) 172
 Neuman, T., see Chiaramello, A. (29) 107
 Nishiwaki, T., see Okamura, H. (29) 358
 Nöthen, M.M., see Shimron-Abarbanell, D. (29) 387
 Numan, S., Lundgren, K.H., Wright, D.E., Herman, J.P. and Seroogy, K.B.
 Increased expression of 5HT₂ receptor mRNA in rat striatum following 6-OHDA lesions of the adult nigrostriatal pathway (29) 391
- Ohkura, S., see Vellucci, S.V. (29) 64
 Ohno, K., see Kiryu, S. (29) 147
 Okamura, H., Kawakami, F., Tamada, Y., Geffard, M., Nishiwaki, T., Ibata, Y. and Inouye, S.-I.T.
 Circadian change of VIP mRNA in the rat suprachiasmatic nucleus following *p*-chlorophenylalanine (PCPA) treatment in constant darkness (29) 358
 Oyama, F., Shimada, H., Oyama, R. and Ihara, Y.
 Apolipoprotein E genotype, Alzheimer's pathologies and related gene expression in the aged population (29) 92
 Oyama, R., see Oyama, F. (29) 92
- Parrott, R.F., see Vellucci, S.V. (29) 64
 Piosik, P.A., Van Groenigen, M., Ponne, N.J., Bolhuis, P.A. and Baas, F.
 RC3/neurogranin structure and expression in the caprine brain in relation to congenital hypothyroidism (29) 119
 Ponne, N.J., see Piosik, P.A. (29) 119
 Prather, P.L., McGinn, T.M., Claude, P.A., Liu-Chen, L.Y., Loh, H.H. and Law, P.Y.
 Properties of a κ -opioid receptor expressed in CHO cells: interaction with multiple G-proteins is not specific for any individual G α subunit and is similar to that of other opioid receptors (29) 336
- Propping, P., see Shimron-Abarbanell, D. (29) 387
- Richards, J.G., see Luque, J.M. (29) 224
 Robertson, H.A., see Chiasson, B.J. (29) 191
 Rodríguez, J.R., see Lafarga, M. (29) 317
 Rodríguez, M., Carillon, C., Coquerel, A., Le Fur, G., Ferrara, P., Caput, D. and Shire, D.
 Evidence for the presence of β 3-adrenergic receptor mRNA in the human brain (29) 369
- Sagar, S.M., see Koistinaho, J. (29) 53
 Schindler, M., see Señaris, R.M. (29) 185
 Scott, A.W., Griffin, S.A. and Luedtke, R.R.
 Genetic polymorphisms at the rat and murine loci coding for dopamine D2-like receptors (29) 347
 Selzer, M.E., see Jacobs, A.J. (29) 43
 Señaris, R.M., Schindler, M., Humphrey, P.P.A. and Emson, P.C.
 Expression of somatostatin receptor 3 mRNA in the motoneurons of the rat spinal cord, and the sensory neurones of the spinal ganglia (29) 185
 Seroogy, K.B., see Numan, S. (29) 391
 Sherman, T.G. and Moody, C.A.
 Alterations in tyrosine hydroxylase expression following partial lesions of the nigrostriatal bundle (29) 285
 Shimada, H., see Oyama, F. (29) 92
 Shimron-Abarbanell, D., Nöthen, M.M., Erdmann, J. and Propping, P.
 Lack of genetically determined structural variants of the human serotonin-1E (5-HT_{1E}) receptor protein points to its evolutionary conservation (29) 387
 Shire, D., see Rodríguez, M. (29) 369
 Shiromani, P.J., Magner, M., Winston, S. and Charness, M.E.
 Time course of phosphorylated CREB and Fos-like immunoreactivity in the hypothalamic supraoptic nucleus after salt loading (29) 163
 Sirimanne, E.S., see Beilharz, E.J. (29) 1
 Sirimanne, E.S., see Beilharz, E.J. (29) 81
 Sliwinski, S., see Besançon, R. (29) 253
 Soosaar, A., see Chiaramello, A. (29) 107
 Sorg, B.A., Guminski, B.J.M., Hooks, M.S. and Kalivas, P.W.
 Cocaine alters glutamic acid decarboxylase differentially in the nucleus accumbens core and shell (29) 381
 Stahl, W.L., see Eakin, T.J. (29) 71
 Suau, P., see Lafarga, M. (29) 317
 Sugimoto, T., see Tsukahara, Y. (29) 376
- Tada, S., see Matsumoto, M. (29) 157
 Taguchi, A., see Mori, T. (29) 325
 Tamada, Y., see Okamura, H. (29) 358
 Tasaki, Y., see Matsumoto, M. (29) 157
 Tashiro, Y., see Tsukahara, Y. (29) 376
 Ticku, M.K., see Follesa, P. (29) 99
 Tohyama, M., see Mori, T. (29) 325
 Tomlinson, D.R., see Brewster, W.J. (29) 131
 Tsujimoto, Y., see Higuchi, M. (29) 263

- Tsukahara, Y., Houtani, T., Ueyama, T., Ikeda, M., Nakanishi, S., Yamamoto, A., Tashiro, Y. and Sugimoto, T.
A subpopulation of large ganglion neurons express IsK protein mRNA: an in situ hybridization analysis in the rat eye (29) 376
- Ueda, S., Kokotos Leonardi, E.T., Bell III, J. and Azmitia, E.C.
Serotonergic sprouting into transplanted C-6 gliomas is blocked by S-100 β antisense gene (29) 365
- Ueyama, T., see Tsukahara, Y. (29) 376
- Van Groenigen, M., see Piosik, P.A. (29) 119
- Vellucci, S.V., Parrott, R.F., Da Costa, A.C., Ohkura, S. and Kendrick, K.M.
Increased body temperature, cortisol secretion, and hypothalamic expression of *c-fos*, corticotrophin releasing hormone and interleukin-1 β mRNAs, following central administration of interleukin-1 β in the sheep (29) 64
- Wanaka, A., see Mori, T. (29) 325
- Watanabe, Y., see Angulo, J.A. (29) 15
- Waymire, J.C., see Craviso, G.L. (29) 233
- Williams, A., see Angulo, J.A. (29) 15
- Williams, C.E., see Beilharz, E.J. (29) 1
- Williams, C.E., see Beilharz, E.J. (29) 81
- Winston, S., see Shiromani, P.J. (29) 163
- Wright, D.E., see Numan, S. (29) 391
- Yamaguchi, T., see Matsumoto, M. (29) 157
- Yamamoto, A., see Tsukahara, Y. (29) 376
- Yi, S.-D., see Mack, K.J. (29) 140
- Zhong, P. and Ciaranello, R.D.
Transcriptional regulation of hippocampal 5-HT_{1a} receptors by corticosteroid hormones (29) 23
- Zuber, M.X., see Chiamello, A. (29) 107

